

Lecture 34 of 41

Visualization, Part 1 of 3: Data (Quantities & Evidence)

William H. Hsu

Department of Computing and Information Sciences, KSU

KSOL course pages: <http://bit.ly/hGvXIH> / <http://bit.ly/eVizrE>

Public mirror web site: <http://www.kddresearch.org/Courses/CIS636>

Instructor home page: <http://www.cis.ksu.edu/~bhsu>

Readings:

Last class: Chapter 15, Eberly 2^e – see <http://bit.ly/ieUq45>; **Ray Tracing Handout**

Today: **Tufte Handout 1**

Next class: **Ray Tracing Handout**

Wikipedia, *Visualization*: <http://bit.ly/gVxRFp>

Wikipedia, *Data Visualization*: <http://bit.ly/9icAZk>






Lecture Outline

- Reading for Last Class: Chapter 15, Eberly 2^e; **Ray Tracing Handout**
- Reading for Today: **Tufte Handout**
- Reading for Next Class: **Ray Tracing Handout**
- Last Time: Ray Tracing 2 of 2
 - * **Stochastic & distributed RT**
 - Stochastic (local) vs. distributed (nonlocal) randomization
 - “Softening” shadows, reflection, transparency
 - * **Hybrid global illumination: RT with progressive refinement radiosity**
- Today: **Visualization Part 1 of 3 – Scientific, Data, Information Vis**
 - * **What is visualization?**
 - * **Tufte 1: *The Visual Display of Quantitative Information*, 2^e**
 - **Basic statistical & scientific visualization techniques**
 - **Graphical integrity vs. lie factor (“How to lie with statisticsvis”)**
 - **Graphical excellence vs. chartjunk**
 - **Data-ink, data-ink ratio (& “data-pixels”)**






Where We Are

21	Lab 4a: Animation Basics	Flash animation handout
22	Animation 2: Rotations; Dynamics, Kinematics	Chapter 17, esp. §17.1 – 17.2
23	Demos 4: Modeling & Simulation; Rotations	Chapter 10 ¹ , 13 ² , §17.3 – 17.5
24	Collisions 1: axes, OBBs, Lab 4b	§2.4.3, 8.1, GL handout
25	Spatial Sorting: Binary Space Partitioning	Chapter 6, esp. §6.1
26	Demos 5: More CGA; Picking; HW/Exam	Chapter 7 ² ; § 8.4
27	Lab 5a: Interaction Handling	§ 8.3 – 8.4; 4.2, 5.0, 5.6, 9.1
28	Collisions 2: Dynamic, Particle Systems	§ 9.1, particle system handout
	Exam 2 review; Hour Exam 2 (evening)	Chapters 5 – 6, 7 ² – 8, 12, 17
29	Lab 5b: Particle Systems	Particle system handout
30	Animation 3: Control & IK	§ 5.3, CGA handout
31	Ray Tracing 1: intersections, ray trees	Chapter 14
32	Lab 6a: Ray Tracing Basics with POV-Ray	RT handout
33	Ray Tracing 2: advanced topic survey	Chapter 15, RT handout
34	Visualization 1: Data (Quantities & Evidence)	Tufte handout (1)
35	Lab 6b: More Ray Tracing	RT handout
36	Visualization 2: Objects	Tufte handout (2 & 4)
37	Color Basics; Term Project Prep	Color handout
38	Lab 7: Fractals & Terrain Generation	Fractals/Terrain handout
39	Visualization 3: Processes; Final Review 1	Tufte handout (3)
40	Project presentations 1; Final Review 2	–
41	Project presentations 2	–
	Final Exam	Ch. 1 – 8, 10 – 15, 17, 20

Lightly-shaded entries denote the due date of a written problem set; heavily-shaded entries, that of a machine problem (programming assignment); blue-shaded entries, that of a paper review; and the green-shaded entry, that of the term project.

Green, blue and red letters denote exam review, exam, and exam solution review dates.





Acknowledgements: Statistical & Data Visualization



Edward R. Tufte

Professor Emeritus of Political Science,
Statistics, & Computer Science

Yale University

<http://bit.ly/gKhM0G>

<http://www.edwardtufte.com>

Yale University



Leland Wilkinson

Executive Vice President, SYSTAT Software

Adjunct Professor of Computer Science,
University of Illinois at Chicago

Adjunct Professor of Statistics,
Northwestern University

<http://www.cs.uic.edu/~wilkinson/>




UIC





Oops!


every time you make a powerpoint




♥ 2009 M. A. Goetz

Mark Goetz: A blog of technology, usability, and sensemaking – <http://bit.ly/cBMKR3>





Tufte 1: *The Visual Display of Quantitative Information*, 2^e



Tufte, E. R. (2001). *The Visual Display of Quantitative Information*.
Cheshire, CT, USA: Graphics Press.

http://www.edwardtufte.com/tufte/books_vdqi





Apologia Pro PowerPoint Sua

- **Tufte's Criticisms of Microsoft PowerPoint (Summarized in Wikipedia)**
 - ✱ Used to guide, reassure presenters, rather than enlighten audience
 - ✱ Unhelpfully simplistic tables, charts (due in part to low-res displays)
 - ✱ Outliners may arrange ideas in necessarily deep hierarchy
 - Not visually retained: must be repeated on each slide
 - Artifact of "outline", "overview" format
 - ✱ Enforcement of linear progression
 - ✱ Poor design: typography, chart layout, use of templates, defaults
 - ✱ Simplistic thinking due to ideas being squashed into bulleted lists
 - Discontinuity of stories: beginning, middle, end → points
 - Cognitive load on reader: illusion of objectivity, neutrality
- **Some (Though Not All) Problems with PowerPoint Avoidable by Design**
- **Garbage In, Garbage Out** (Wikipedia: <http://bit.ly/ff3EZ>)
- **Tufte, The Cognitive Style of PowerPoint:** <http://bit.ly/TYch>
- **Wikipedia Synopsis of Tufte's Critique:** <http://bit.ly/8XQFZm>





Definition: Visualization

- **Wikipedia:** “Using Images, Diagrams, Animations to Communicate”
 - ✱ **Images:** illustrations; photographs, especially modified photos
 - ✱ **Diagrams:** structural diagrams, blueprints, plots & charts
 - ✱ **Animations:** based on simulation or other specifications
- **Includes, But Not Limited to, Statistical Graphics**
- **Kinds of Visualization (Often Abbreviated “Vis” cf. IEEE InfoVis)**
 - ✱ **Scientific:** transformation, representation of data for exploration
 - ✱ **Data:** schematic form
 - e.g., relational database form (tuples of attribute values)
 - “Data vis” often synonymous with “statistical vis”
 - ✱ **Information:** spectrum from “raw data” to “info”, “knowledge”
 - **Premise:** info more structured, organized, abstract than data
 - **Emphasis on computational tools**
 - **Working with (especially analyzing) large data sets**

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Definition: Graphical Excellence

- **Complex Ideas**
- **Communicated with**
 - ★ **Clarity**
 - ★ **Precision**
 - ★ **Efficiency**

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Graphical Excellence: Graphical Displays Should... (“DO’s”)

- 1. Show the data
- 2. Induce the reader to think about the *substance* rather than about
 - * Methodology
 - * Graphic design
 - * Technology of graphic production
 - * Something else
- 3. Avoid distorting what the data have to say
- 4. Present many numbers in a small space
- 5. Make large data sets coherent
- 6. Encourage the eye to compare different pieces of data
- 7. Reveal the data at different levels of detail, broad to fine
- 8. Serve a clear purpose: description, evaluation, tabulation, decoration
- 9. Be closely integrated with statistical and verbal descriptions of data
- Rules were made to be broken (“What’s different on this slide?”)

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphics Reveal Data [1]: Limitations of Descriptive Statistics

I		II		III		IV	
X	Y	X	Y	X	Y	X	Y
10.0	8.04	10.0	9.14	10.0	7.46	8.0	6.58
8.0	6.95	8.0	8.14	8.0	6.77	8.0	5.76
13.0	7.58	13.0	8.74	13.0	12.74	8.0	7.71
9.0	8.81	9.0	8.77	9.0	7.11	8.0	8.84
11.0	8.33	11.0	9.26	11.0	7.81	8.0	8.47
14.0	9.96	14.0	8.10	14.0	8.84	8.0	7.04
6.0	7.24	6.0	6.13	6.0	6.08	8.0	5.25
4.0	4.26	4.0	3.10	4.0	5.39	19.0	12.50
12.0	10.84	12.0	9.13	12.0	8.15	8.0	5.56
7.0	4.82	7.0	7.26	7.0	6.42	8.0	7.91
5.0	5.68	5.0	4.74	5.0	5.73	8.0	6.89

$N = 11$
 mean of X's = 9.0
 mean of Y's = 7.5
 equation of regression line: $Y = 3 + 0.5X$
 standard error of estimate of slope = 0.118
 $t = 4.24$
 sum of squares $X - \bar{X} = 110.0$
 regression sum of squares = 27.50
 residual sum of squares of Y = 13.75
 correlation coefficient = .82
 $r^2 = .67$


© 2001 E. R. Tufte, Yale University
 The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Graphics Reveal Data [2]: Differences in Data Shown by Vis

F. J. Anscombe, "Graphs in Statistical Analysis," *American Statistician*, 27 (February 1973), 17-21.




© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Earliest Grid Map: Song Dynasty, 960 – 1279 CE)




E. Chavannes, "Les Deux Plus Anciens
Spécimens de la Cartographie Chinoise,"
*Bulletin de l'École Française de l'Extrême
Orient*, 3 (1903), 1–35, Carte B.

This grid map, compiled c.
1100 CE (carved in stone c.
1137 CE) uses a grid of ~100
里 (*li*) to the square, ~42km in
Han dynasty standard units
(415.8m per *li*)

Shown:
Major rivers and tributaries

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Thematic Maps & Other Data Maps

- Data Maps: Visual Presentation of Variables over Region (e.g., Spatial)
- Thematic Map: Shows Topic (Theme) Referenced by Geographic Area
- Wikipedia: http://en.wikipedia.org/wiki/Thematic_map
- Example: 2010 UNAIDS Report on Global HIV Infection Rates

2010: A global view of HIV infection

33.3 million people [31.4–35.3 million] living with HIV, 2009




© 2010, UNAIDS
<http://bit.ly/ftHhd4>




Inspired by book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Example – Cancer Rates by County [1]: White Females, All Types of Cancer




All types of cancer, white females;
age-adjusted rate by county, 1950–1969

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Example – Cancer Rates by County [2]: White Males, All Types of Cancer




All types of cancer, white males;
age-adjusted rate by county, 1950–1969


What's different?
Compared to what?
Why?

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Example – Cancer Rates by County [3]: White Females, Respiratory Cancers




Trachea, bronchus, and lung cancer;
white females; age-adjusted rate
by county, 1950-1969

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Example – Cancer Rates by County [4]: White Males, Respiratory Cancers




Trachea, bronchus, and lung cancer;
white males; age-adjusted rate
by county, 1950–1969

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Example – Cancer Rates by County [5]: White Females, GI Cancers




Stomach cancer, white females;
age-adjusted rate by county, 1950–1969

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Example – Cancer Rates by County [6]: White Males, GI Cancers




Stomach cancer, white males;
age-adjusted rate by county, 1950–1969

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Flow Maps [1]: Minard, 1865 – French Wine Exports



Minard, C. J. (1865). *Carte figurative et approximative des quantités de vin français exportées par mer en 1864*. Lithograph (835 x 547). Retrieved from: <http://bit.ly/hTz4ST>

Wikipedia:

Flow Map –

<http://bit.ly/dJgJCy>

Thematic Map –


<http://bit.ly/enon7w>

Reprinted by National Visualization and Analysis Center (NVAC), Pacific Northwest National Lab (PNL): <http://bit.ly/egbQUJ>


Charles Joseph Minard, *Tableaux Graphiques et Cartes Figuratives de M. Minard*, 1845–1869, a portfolio of his work held by the Bibliothèque de l'École Nationale des Ponts et Chaussées, Paris.

Inspired by book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Flow Maps [2]: Minard, 1869 – Napoleon in Russia



Minard, C. J. (1869). *Carte figurative des pertes successives en hommes de l'Armée Française dans la campagne de Russie 1812-1813*. Lithograph, 62 x 30 cm.


Translation by E. R. Tufte. French version mirrored at: <http://bit.ly/6MHa87>

Wikipedia: Charles Joseph Minard – <http://bit.ly/4zZ8nQ>

Adapted from book material © 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Flow Maps [3]: Minard's Map of Napoleon's March


- 2-D Map
- 6 Scalar Dimensions
 - * Size of army
 - * Location on 2-D surface by date (compare: latitude & longitude)
 - * Direction of movement
 - * Date
 - * Temperature (referenced by position & date)
- How to Represent 6 Dimensions in 2
 - * Size – width of line and written besides army (main camp) position
 - * Location – (x, y) coordinate on map; align with timeline on bottom
 - * Direction – color, arrow
 - * Date – timeline on bottom
 - * Temperature – next to date on timeline (today: brush-over tooltip)

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Preview: Small Multiple – Air Pollution Map




p. 42 (Tufte 1 aka VDQI, 1^o & 2^o)

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Integrity [1]: Consistency in Labeling, Baselines



Day Mines, Inc., 1974 Annual Report, p. 1.


© 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Integrity [2]: Consistency in Time (Independent Axis)




© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Graphical Integrity [3]: Dangers of Partial Annual Data

Nobel Prizes Awarded in Science,
for Selected Countries, 1901-1974




Nobel Prizes Awarded in Science,
for Selected Countries, 1901-1980



© 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Lie Factor [1]: Definition & Example

- **Definition**

$$\text{Lie Factor} = \frac{\text{size of effect shown in graphic}}{\text{size of effect in data}}$$

- **Goal: Keep Close to 1 (e.g., in interval [0.95, 1.05])**

This line, representing 18 miles per gallon in 1978, is 0.6 inches long.




This line, representing 27.5 miles per gallon in 1985, is 5.3 inches long.

$$\text{Lie Factor} = \frac{5.3 - 0.6}{0.6} = \frac{783}{53} = 14.8$$

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Lie Factor [2]: Examples – Excess Dimensions (2- & 3-D)

THE SHRINKING FAMILY DOCTOR In California

Percentage of Doctors Devoted Solely to Family Practice

1964	1975	1990
27%	16.0%	12.0%




Los Angeles Times, August 5, 1979, p. 3.

Lie Factor: ~1 based on height, **2.8** based on area

IN THE BARREL...

Price per bbl. of light crude, leaving Saudi Arabia on Jan. 1



Time, April 9, 1979, p. 57.


Lie Factor: **9.4** based on area, **59.4** based on volume!

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Graphical Integrity [4]: Need for Data Normalization




Playfair (1786): Nominal Money




Playfair (1786): Real (Standardized, i.e., Inflation-Adjusted aka Deflated) Money

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Graphical Integrity [5]: Context – “Compared to What?”





Imagine the very different interpretations other possible time-paths surrounding the 1955–1956 change would have:

What
If...?




A few more data points add immensely to the account:




Donald T. Campbell and H. Laurence Ross, “The Connecticut Crackdown on Speeding: Time Series Data in Quasi-Experimental Analysis,” in Edward R. Tufte, ed., *The Quantitative Analysis of Social Problems* (Reading, Mass., 1970), 110–125.

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Integrity [6]: Pravda School of Ordinal Graphics



Рост продукции промышленности [1922 г. = 1].

Pravda, May 24, 1982, p. 2.

© 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Integrity: Tufte's Six Principles ("DO's")

- See also *How to Lie With Statistics* (Huff, 1984): <http://bit.ly/3wAgS0>
- 1. Make Representation of Numbers Proportional to Quantities
 - ✱ Ratio of size to numerical value should be close to 1
 - ✱ As physically measured on surface of graphic
- 2. Use Clear, Detailed, Thorough Labeling
 - ✱ Don't introduce or propagate graphical distortion, ambiguity
 - ✱ Write out explanations of the data *on the graphic itself*
 - ✱ Label important events in the data
- 3. Show Data Variation, Not Design Variation
- 4. Use Standardized (e.g., Inflation-Adjusted) Units, Not Nominal
- 5. Depict N Data Dimensions with $\leq N$ Variable Dimensions
 - ✱ Don't use more than N information-carrying dimensions for N -D data
 - ✱ When graphing data in N -D, use N -D ratio (see #1 above)
- 6. Quote Data in Full Context (Don't Quote Out of Context)

Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Data-Ink

Above all else show the data.

- Edward Tufte

- **Data-Ink: Non-Erasable Core of A Graphic**
 - ✦ Non-redundant ink
 - ✦ Arranged in response to variation in numbers represented
- **Data Density**
 - ✦ Amount of usable information per unit (space, ink, time, etc.)
 - ✦ Want: higher data density as function of resource
 - ✦ Example: data-ink ratio
- **Non-Data-Ink Can Be Erased to Improve Data Density**

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Data-Ink Ratio


$$\text{Data - ink ratio} = \frac{\text{data - ink}}{\text{total ink used to print the graphic}}$$

= proportion of a graphic' s ink devoted to the non - redundant display of data - information


= 1.0 – proportion of a graphic that can be erased without loss of data - information



Low Data-Ink Ratio (Playfair, 1785):
Charts with Many Grid Lines & Detailed Labels





Intermediate Data-Ink Ratio (Playfair, 1786):
Conventional Charts – Grid Thinned



High Data-Ink Ratio:
Electroencephalogram (EEG) Signals

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





This chart uses five colors, three dimensions, and two parts to show only five data points!

Redundancy in

Symmetry

Superfluous use of perspective and color


Forgo chartjunk, including moiré vibration, the grid, and the duck. -

Edward Tufte


© 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>


Chartjunk



Wikipedia, Moiré pattern: <http://bit.ly/fssTem>



© 1973 H. S. Shyrock & J. S. Siegel



Big Duck © 2000 E. R. Tufte




"Duck" here refers to self-promoting decorative graphics.






Statistical Graphics [1]: Box plots (Spear, 1958; Tukey, 1977)

Mary Eleanor Spear's "range bar"



Wikipedia, *Box Plot*:
<http://bit.ly/AxVBN>

and John Tukey's "box plot"



Mary Eleanor Spear, *Charting Statistics* (New York, 1952), p. 166; and John W. Tukey, *Exploratory Data Analysis* (Reading, Massachusetts, 1977).

can be mostly erased without loss of information:




The revised design, a *quartile plot*, shows the same five numbers.

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Statistical Graphics [2]: Dot-Dash Scatter Plots (Tufte, 1983)



Wikipedia, *Scatter Plot*:
<http://bit.ly/hkGYri>

In a dot-dash plot, sometimes called a Tufte scatterplot, the axes are replaced with marginal distributions (the projection of the bivariate scatter down to one variable)

See: <http://bit.ly/f6yDru>
© 2008 University of Michigan

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Statistical Graphics [3]: Stemplots (Bowley, c. 1900)

- Also Known As Stem-and-Leaf Plots (Wikipedia: <http://bit.ly/adrgEM>)
- Construct Distribution of Variable Using Numbers Themselves
- Construction Algorithm

✳ Sort data in ascending order – example:

44 46 47 49 63 64 66 68 68 72 72 75 76 81 84 88 106

✳ Designate meaning of stems, leaves

- Leaves: suffixes, to right of vertical line – usually last digit
- Stems: prefixes, to left of vertical line – usually all other digits

✳ Group data by common stem (prefix) – example:

```

4 | 4 6 7 9
5 |
6 | 3 4 6 8 8
7 | 2 2 5 6
8 | 1 4 8
9 |
10 |


```

6 key: 6|3=63, leaf unit: 1.0, stem unit: 10.0


© 2001 E. R. Tufte, Yale University

The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>






Statistical Graphics [4]: Range-Frame Plot




The min and max values for each variable are made implicit by erasing the axes below the min and above the max value.

This is an example of how erasing non-data ink can lead to greater data density and data-ink ratio.

Nothing but the tails of the frame need change:



Conventional Scatterplot



Range-Frame

© 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Excellence – Synopsis [1]

- **Well-Designed Presentation of Interesting Data**
 - ✱ Substance – accurate, precise data, labels, other original content
 - ✱ Statistics – analytical content, summative & descriptive
 - ✱ Design – non-redundant, concise presentation of multiple variables
- **Complex Ideas Communicated with**
 - ✱ Clarity – ease of interpretation and understanding
 - ✱ Precision – ability to reconstruct original data, process
 - ✱ Efficiency – rendering time vs. reading & comprehension time
- **Gives to Viewer**
 - ✱ Greatest number of ideas – data
 - ✱ In shortest time – “ink ratio” really rate per time (cognitive effort)
 - ✱ With least ink – filled space, pixels, primitives, rendered objects
 - ✱ In smallest space – total size of graphic, page, viewport, window


Adapted from book material © 2001 E. R. Tufte, Yale University
The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Graphical Excellence – Synopsis [2]

- Nearly Always Multivariate
- Requires Telling Truth about The Data (Graphical Integrity)



p. 51 (Tufte 1 aka VDQI, 1° & 2°)

Adapted from book material © 2001 E. R. Tufte, Yale University
 The Visual Display of Quantitative Information, Graphics Press: <http://bit.ly/16Se1>





Summary

- Reading for Last Class: Chapter 15, Eberly 2^e; **Ray Tracing Handout**
- Reading for Today: **Tufte Handout**
- Reading for Next Class: **Ray Tracing Handout**
- Last Time: Ray Tracing 2 of 2
 - * Stochastic & distributed RT
 - * Hybrid RT (for specular reflectance) & radiosity (for diffuse)
- Today: Visualization Part 1 of 3 – Statistical, Scientific, Data/Info Vis
 - * Tufte 1: *The Visual Display of Quantitative Information*, 2^e
 - * Graphical integrity
 - Lack: lie factor (“How to lie with statistics visualization”)
 - Desiderata: transparency; labeled axes, clear comparisons
 - “Show variation in data, not presentation”
 - * Graphical excellence
 - Lack: chartjunk
 - Desiderata: data-ink, data-ink ratio (& “data-pixels”)





Terminology

- **Visualization: Using Images, Diagrams, Animations to Communicate**
 - * Scientific: transformation, representation of data for exploration
 - * Statistical / data: info in schematic form (attributes, variables)
 - * Information: computational tools; analyzing large, abstract data sets
- **Statistical Visualization Techniques**
 - * Boxplot aka range bar, box-and-whisker diagram: mean, quartiles
 - * Dot-dash plot aka Tufte scatterplot aka scatter plot with Tufte axes
 - * Stemplots aka stem-and-leaf display: prefix (stem), suffix (leaf)
 - * Range-frame plot: erase axes outside range (min/max x, y)
- **Tufte 1: *The Visual Display of Quantitative Information*, 2^e**
 - * Graphical integrity: accurate, truthful visual communication
 - * Example of lapse in graphical integrity: lie factor (distortion ratio)
 - * Data-ink ratio: quantity of usable/accessible info per unit of “ink”
 - * Graphical excellence: high data-ink ratio, no wasted axes
 - * Antithesis of graphical excellence: chartjunk (visual clutter)

