

Lecture 32 of 41

Lab 6: Ray Tracing with ACM SIGGRAPH Demo & POV-Ray

William H. Hsu

Department of Computing and Information Sciences, KSU

KSOL course pages: <http://bit.ly/hGvXIH> / <http://bit.ly/eVizrE>

Public mirror web site: <http://www.kddresearch.org/Courses/CIS636>

Instructor home page: <http://www.cis.ksu.edu/~bhsu>

Readings:


Last class: Chapter 14, Eberly 2^e – see <http://bit.ly/ieUq45>

Today: **Ray Tracing Handout**

Next class: Chapter 15, **Ray Tracing Handout**




2



Lecture Outline

- Reading for Last Class: Chapter 14, Eberly 2^e
- Reading for Today: **Ray Tracing Handout**
- Reading for Next Class: Chapter 15, Eberly 2^e; **Ray Tracing Handout**
- Last Time: Ray Tracing (RT), Part 1 of 2
 - * Vectors: Light (L) & shadow, Reflected (R), Transmitted & refraction
 - * Basic recursive ray tracing & ray trees
 - * Phong illumination model, texture mapping revisited
 - * Distributed RT: survey, supersampling illustrated
 - * Things you get “for free”: clipping, VSD (backface/occlusion culling)
- Today: **Ray Tracing Lab**
 - * ACM SIGGRAPH demo: <http://bit.ly/cllgx2>
 - * POV-Ray: <http://www.povray.org>
- Next Class: **Ray Tracing 2 of 2**
 - * Hybridizing RT with radiosity (photon maps)
 - * Progressive refinement






Where We Are

21	Lab 4a: Animation Basics	Flash animation handout
22	Animation 2: Rotations; Dynamics, Kinematics	Chapter 17, esp. §17.1 – 17.2
23	Demos 4: Modeling & Simulation; Rotations	Chapter 10 ¹ , 13 ² , §17.3 – 17.5
24	Collisions 1: axes, OBBs, Lab 4b	§2.4.3, 8.1, GL handout
25	Spatial Sorting: Binary Space Partitioning	Chapter 6, esp. §6.1
26	Demos 5: More CGA; Picking; HW/Exam	Chapter 7 ³ ; § 8.4
27	Lab 5a: Interaction Handling	§ 8.3 – 8.4; 4.2, 5.0, 5.6, 9.1
28	Collisions 2: Dynamic, Particle Systems	§ 9.1, particle system handout
	Exam 2 review; Hour Exam 2 (evening)	Chapters 5 – 6, 7 ⁴ – 8, 12, 17
29	Lab 5b: Particle Systems	Particle system handout
30	Animation 3: Control & IK	§ 5.3, CGA handout
31	Ray Tracing 1: intersections, ray trees	Chapter 14
32	Lab 6a: Ray Tracing Basics with POV-Ray	RT handout
33	Ray Tracing 2: advanced topic survey	Chapter 15, RT handout
34	Visualization 1: Data (Quantities & Evidence)	Tufte handout (1)
35	Lab 6b: More Ray Tracing	RT handout
36	Visualization 2: Objects	Tufte handout (2 & 4)
37	Color Basics; Term Project Prep	Color handout
38	Lab 7: Fractals & Terrain Generation	Fractals/Terrain handout
39	Visualization 3: Processes; Final Review 1	Tufte handout (3)
40	Project presentations 1; Final Review 2	–
41	Project presentations 2	–
	Final Exam	Ch. 1 – 8, 10 – 15, 17, 20

Lightly-shaded entries denote the due date of a written problem set; heavily-shaded entries, that of a machine problem (programming assignment); blue-shaded entries, that of a paper review; and the green-shaded entry, that of the term project.

Green, blue and red letters denote exam review, exam, and exam solution review dates.



Acknowledgements: Ray Tracing



Dave Shreiner & Brad Grantham

Adjunct Professor & Adjunct Lecturer,
Santa Clara University
ARM Holdings, plc
<http://www.plunk.org/~shreiner/>
<http://www.plunk.org/~grantham/>



David K. Buck, Aaron Collins, et al.

Developers
Persistence of Vision Raytracer (POV-Ray)
<http://www.povray.org>




G. Scott Owen & Yan Liu

Professor Emeritus / ACM SIGGRAPH President &
Graduate Research Assistant
Hypermedia and Visualization Laboratory
Department of Computer Science
Georgia State University / ACM
<http://www.cs.gsu.edu/gsowen/>



5




Review [1]: Reasons for Using Ray Tracing

- Simulate rays of light
- Produces natural lighting effects
 - Reflection
 - Refraction
 - Soft Shadows
 - Depth of Field
 - Motion Blur
 - Caustics
- Hard to simulate effects with rasterization techniques (OpenGL)
- Rasterizers require many passes
- Ray-tracing easier to implement

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>




6



Review [2]: How Ray Tracing Works

- Trace rays from eye instead
- Do work where it matters




This is what most people mean by “ray tracing”.

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>




7



Review [3]: Ray/Triangle Intersection

- Want to know: at what *point* p does ray intersect triangle?
- Compute lighting, reflected rays, shadowing *from that point*




Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>

SANTA CLARA UNIVERSITY
SCHOOL OF ENGINEERING

Computing & Information Sciences
Kansas State University


CIS 536/636 Introduction to Computer Graphics Lecture 32 of 41

8



Review [4]: General Notation Review

- We'll use triangles for lights
- Can build complex shapes from triangles
- Some lighting terms




Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>

SANTA CLARA UNIVERSITY
SCHOOL OF ENGINEERING

Computing & Information Sciences
Kansas State University


CIS 536/636 Introduction to Computer Graphics Lecture 32 of 41



Review [5]: Recursive Calculation & Ray Tree

- Recursive ray evaluation

```
rayTrace(ray) {
    hitObject(ray, p, n, triangle);
    color = object color;
    if(object is light)
        return(color);
    else
        return(lightning(p, n, color));
}
```




Ray tree
© 2000 N. Patrikalakis, MIT
<http://bit.ly/fjcGGk>

I = Incident ray
S = light Source vector (aka L)
R = reflected ray
T = transmitted ray

- Generates ray tree shown at right

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>



Review [6]: Putting It All Together


- Calculating surface color

```
lighting(point) {
    color = ambient color;
    for each light
        if(hitObject(shadow ray))
            color += lightcolor *
                dot(shadow ray, n);
    color += rayTrace(reflection) *
        pow(dot(reflection, ray), shininess);
    return(color);
}
```

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>



11



Review [7]: More Quality, More Speed

- Better Lighting + Forward Tracing
- Texture Mapping
- Modeling Techniques
- Distributed Ray Tracing: Techniques
 - * Motion Blur
 - * Depth of Field
 - * Blurry Reflection/Refraction
 - * Wikipedia, *Distributed Ray Tracing*: <http://bit.ly/ihyVUs>
- Improving Image Quality
- Acceleration Techniques

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>




CIS 536/636

Introduction to Computer Graphics


Lecture 32 of 41

Computing & Information Sciences
Kansas State University

12



Review [8]: Distributed Ray Tracing



Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>




CIS 536/636

Introduction to Computer Graphics


Lecture 32 of 41

Computing & Information Sciences
Kansas State University




Review [9]: Supersampling, "Forward" RT

- One ray is not enough (jaggies)
- Can use multiple rays per pixel - *supersampling*
- Can use a few samples, continue if they're very different - *adaptive supersampling*
- Texture interpolation & filtering




"Forward" RT for Caustics



Ray Tracing © 2008 Wikipedia
<http://bit.ly/dV7lNm>

Adapted from slides ♥ 2001 D. Shreiner & B. Grantham, SCU
COEN 290: Computer Graphics I, Winter 2001 – <http://bit.ly/hz1kfU>




Lab 6a [1]: ACM SIGGRAPH 2-D RT Program Help

Move Trace Help

 Solid Sphere	<p>This Java program was written by Yan Liu, under the supervision of Dr. G. Scott Owen, Department of Computer Science at Georgia State University. It is based on a Pascal program written by Dino Schweitzer. All Copyrights are Reserved by Dr. G. Scott Owen.</p>
 Transparent Sphere	<p>Demonstration of the Ray Trace Algorithm</p>
 Polygon	<p>This is a demonstration of the raytracing rendering algorithm. A simple 2-D environment is shown. The user can arrange four predefined objects within the environment (see description on the left) and raytrace the result. The raytrace algorithm forms and intersects primary and secondary rays to compute the final shade at each pixel in the frame buffer.</p>
 Light Source	<p>Please choose 'move' to get started. Then you can move the objects around. Then choose 'trace' to trace the rays.</p>

Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>





Lab 6a [2]: Trace Screen

Move Trace Help

MAIN ALGORITHM

For each pixel

- Form primary ray
- Find closest intersection
- If intersect something
 - Shade (DEPTH+1, final)
- Put final shade in pixel

EYE


SHADE (DEPTH, RTNSHADE)

Form shadow ray

- Find intersection
- If reflective
 - Form reflect ray
 - Find closest intersect
 - Shade (DEPTH+1, REFLSHADE)
- If transparent
 - Form refract ray
 - Find closest intersect
 - Shade (DEPTH+1, REFRSHADE)
- Compute rtshade

STEP AUTO CLEAR

Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
 ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>



Lab 6a [3]: First Ray (Click "Clear" & "Auto")

Move Trace Help

MAIN ALGORITHM

For each pixel

- Form primary ray
- Find closest intersection
- If intersect something
 - Shade (DEPTH+1, final)
- Put final shade in pixel

EYE

SHADE (DEPTH, RTNSHADE)

Form shadow ray


- Find intersection
- If reflective
 - Form reflect ray
 - Find closest intersect
 - Shade (DEPTH+1, REFLSHADE)
- If transparent
 - Form refract ray
 - Find closest intersect
 - Shade (DEPTH+1, REFRSHADE)
- Compute rtshade

STEP AUTO CLEAR


Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
 ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>



17




Lab 6a [4]: Second Ray (Click "Auto" to Advance)




Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>



18




Lab 6a [5]: Third Ray




Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>







Lab 6a [6]: Fourth Ray



Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>




Lab 6a [7]: Fifth Ray



Screenshots from Java program ♥ 2001 G. S. Owen & Y. Liu, GSU
ACM SIGGRAPH Ray Trace Java Demo – <http://bit.ly/cllgx2>



2.1



Lab 6b [1]: POV-Ray



"Office" © 2004 Jaime Vives Piqueres
<http://bit.ly/g9dnGH>




"My First CGSphere" © 2008 Robert McGregor
<http://bit.ly/fGb6Pj>

Images ♥ respective authors, generated using **POV-Ray**
© 1991 – 2011 D. K. Buck et al. – <http://www.povray.org>




2.2



Lab 6b [2]: POV-Ray



"The Wet Bird" © 2001 Gilles Tran
<http://bit.ly/gMBuGt>




"Dissolution" © 2005 Newt
<http://bit.ly/fVqj5d>



"Thanks for all the fish" © 2008 Robert McGregor
<http://bit.ly/fE04gm>


Images ♥ respective authors, generated using **POV-Ray**
© 1991 – 2011 D. K. Buck et al. – <http://www.povray.org>





Summary

- Reading for Last Class: Chapter 14, Eberly 2^e
- Reading for Today: **Ray Tracing Handout**
- Reading for Next Class: Chapter 15, Eberly 2^e; **Ray Tracing Handout**
- Last Time: **Ray Tracing (RT)**, Part 1 of 2
 - * **Vectors: I (incident ray), L, R, T**
 - * **Basic recursive ray tracing & ray trees**
 - * **Distributed RT: survey, supersampling illustrated**
- Today: **Ray Tracing Lab**
 - * **ACM SIGGRAPH demo: <http://bit.ly/cllgx2>**
 - 2-D “screen”
 - Moveable objects: transparent, opaque (both reflective)
 - * **POV-Ray (<http://www.povray.org>) Example Renderings**
- Next Class: **Ray Tracing 2 of 2**
 - * **Progressive refinement radiosity (photon maps) introduced**
 - * **Using RT/radiosity together and with shading**



Terminology

- **Ray Tracing aka Ray Casting**
 - * **Given: screen with pixels (u, v)**
 - * **Find intersection $t_{\min}(u, v)$ of rays through each (u, v) with scene**
 - * **Vectors emanating from world-space coordinate of t_{\min}**
 - **Light (L) aka Source (S): to point light sources (or shadows)**
 - **Reflected (R): from object surface**
 - **Transmitted or Transparency (T): through transparent object**
 - * **Recursive RT: call raytracer for each intersection, get ray tree**
 - * **Incident vector (I): incoming from eye**
- **Caustic: Envelope of Light Rays Reflected/Refracted by Curved Object**
 - * **Wikipedia: <http://bit.ly/etlXld>**
 - * **Example: Slide 13 (today's lecture)**
- **“Backward” RT: Eye-to-Scene, Scene-to-Light (Typical Order)**
- **“Forward” RT: Light-to-Scene, Scene-to-Eye (Only for Caustics)**
- **Screen: Parallel to View “Plane”, Rays Shot Through It**

